APPLICATION NOO / 6 ATTORNEY'S DKT NO. 09/488/202 028870-057 INFORMATION DISCLOSURE OCT 2 6 2000 APPLICANT. CITATION Guy LaTorre et al. GROUP FILING DATE 1615 PTO-1449 January 19, 2000 U.S. PATENT DOCUMENTS EXAMINER'S PATENT NO DATE SUBCLASS INITIALS NAME CLASS FILING DATE w 5.814.305 Sep. 1998 Laugier et al. 424 61 RECENIED 5.166.168 Nov.1992 Stiefel 514 387 5.165.915 Nov.1992 Tokubo et al. 424 63 NOV no zalo 4.547.363 Oct.1985 Joos 424 61 DESCRIPTION SOUND 8.115.307 Sep. 1978 McGilvery 252 135 3 989 817 Nov. 1976 Mayer 424 61 3.969.128 Jul. 1976 Urs 106 291 3.725.525 Apr. 1973 Joos 424 61 3.234.097 Feb. 1966 Loughran et al. 167 85 FOREIGN PATENT DOCUMENTS EXAMINER'S Translation PATENT NO. DATE INITIALS COUNTRY CLASS SUBCLASS Yes No OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Dawber, R.P.R., et al. " Structure, Embryology, Comparative Anatomy and Phaiology of the Nail", Diseases of the Nails and Their Management, 1: 1-23, 1983. Hench, L. L., et al., "Bonding Mechanisms at the Interface of Ceramic Prosthetic Materials," J. Biomed Mater. Res. Svn., 2(1):117-141, 1971. Hench, L. L., "Handbook of Bioactive Ceramics," CRC, 1: 235-244 and 283-302,1990. Kim, C.Y., et al., "Early Stages of Calcium = Phosphate Layer Formation in Bioglass", J. Non-Cryst. Solids, 113:195-202 (1989). **Pantard, F.G.E., "Progress in Biological Sciences in Relation to Dermatology", 2:227, ed. Rooks and Champion, Cambridge University Press, London, 1964. Stanley, H. R., et al., "Residual alveolar ridge maintenance with a new endosseous implant material," J. Prosthetic Dent., 58(5):607-613, 1987. West, J.K., et al., "Reaction Kinetics of bioactive Ceramics Part V: Molecular Orbital Modeling of Bioactive Glass surface Ractions" Bioceramics, 5: 75-86, 1992. Wilson, J., et al., "Biomaterials for facial bone augmentation: Comparative Studies," J. Biomed. Mater. Res., 22 (A2):159-177,1988. Wilson J. et al., "Toxicology and Biocompatibility of Bioglasses," J. Biomed. Mater. Res., 15: 805-817, 1981.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

EXAMINER

DATE CONSIDERED